NEODIAMOND

Round

001

801

Removal of old fillings
Cavity preparation
Crown preparation
Surgery
Prophylaxis
Root canal treatments

Inverted Cone short head

010

805

Removal of old fillings
Cavity preparation
Crown preparation
Prophylaxis

Wheel

067

909

Crown preparation
Occlusal conturing
Removal of old fillings

Flat End Cylinder

109
110
111
112

835
836
837
837L

Removal of old fillings
Cavity preparation
Crown preparation
Inlay/Onlay preparation
Prophylaxis

Beveled Cylinder

130
131

885
886

Crown preparation
Removal of old fillings
Prophylaxis

Round End Cylinder short head



139

838

Removal of old fillings
Cavity preparation
Crown preparation
Ceramic Restorations
Prophylaxis

Round Edge Cylinder

156

835 KR

Removal of old fillings
Cavity preparation
Inlay/Onlay preparation
Prophylaxis

Pointed Cone

166

859

Crown preparation
Treatment of fillings
Surface trimming
Root canal preparation

Flat End Taper

172
173

847
848

Removal of old fillings
Cavity preparation
Crown preparation
Inlay/Onlay preparation
Prophylaxis

Flame

249
250

862
863

Removal of old fillings
Cavity preparation
Crown preparation
Inlay/Onlay preparation
Prophylaxis
Contourig & finishing

Egg

277

379

Removal of old fillings
Cavity preparation
Crown preparation
Contourig & finishing

Torpedo

288
290

878
879

Removal of old fillings
Cavity preparation
Crown preparation
Prophylaxis

MICROCOPY
INNOVATIONS FOR DENTISTRY

آبادیس طب امروز

شرکت آبادیس طب امروز (ATE)

فروشگاه مرکزی:

تهران، خیابان آزادی، تقاطع اسکندری شمالی، ساختمان۲۴۱، بازارآزادی، طبقه دوم

شماره ۶۵ ۶۶۵۶۱۳۸۱-۶۶۵۶۱۳۸۸-۶۶۵۷۲۹۷۸

دفتر مرکزی :

تهران، فلکه اول تهرانپارس، خیابان رشید، نبش ۱۴۴ غربی، پلاک ۹۹، طبقه ۴، واحد ۱۸

۷۷۷۲۳۰۳۰-۷۷۷۳۷۱۶۱-۷۷۷۳۷۱۸۱-۷۷۷۳۷۲۴۲

www.abadis-teb.com

Email: info@abadis-teb.com

NEODIAMOND

America's #1 Selling Diamond Bur



MICROCOPY
INNOVATIONS FOR DENTISTRY

Made in USA

Faster Cut, Less Chairtime

Advanced Triton® bonding technology fastens diamonds to the shank with superior hardness and maximum longevity enabling NeoDiamond to expose 20% more diamond cutting surface.

XactFit® Shank Reduces Walk-Out

The NeoDiamond shank is a high quality Swiss-made XactFit® stainless steel shank. It has the strictest tolerances on shank diameter in the industry.

(Shank = 1.597mm + .001,-.005)

HIGHEST RATED

Performed by an independent, non-profit , dental education and product testing foundation.

THE DENTAL ADVISOR Editors' Choice

Dental Advisor Editor's Choice, the highest rating clinical evaluation.

Page		Shape
2		ROUND
2		ROUND with collar
2		INVERTED CONE short head
2		INVERTED CONE with collar
2		DIABLO
2		POINTED BUD
2		BARREL
2		WHEEL
2		WHEEL with shoulder
2		WHEEL
2-3		FLAT END CYLINDER
3		BEVELED CYLINDER
3		ROUND END CYLINDER
3		KS CYLINDER
3		END CUTTING CYLINDER
3		ROUND EDGE CYLINDER
3-4		POINTED CONE
4		FLAT END TAPER
4-5		ROUND END TAPER

Page		Shape
5		INVERTED CONE
5		PEAR
5		FLAME
5		BUD
5		BUD slender
5		EGG
6		TORPEDO
6		GINGIVAL CURETTAGE
6		LENTICULAR
6		INTERDENTAL
6		POINTED FLAME
6		GUIDE PIN
6		GUIDE PIN
6		GROSS REDUCTION CYLINDER
6		GROSS REDUCTION TAPER
6		FLAME NEEDLE short head
6		ROUND EDGE TAPER
6		DEPTH MARKER

FG Shank Diameter 1.60mm Standard ISO 314, Short 313, Long 315

288 - 877 TORPEDO
- 288-010
- 288-012

289 - 878 TORPEDO
- 289-012
- 289-014
- 289-016
- 289-014SH
- 289-012S
- 289-014S

290 - 879 TORPEDO
- 290-010
- 290-012
- 290-014
- 290-016

297 - 877K GINGIVAL CURETTAGE
- 297-012
- 297-014
- 297-016
- 297-017SH

298 - 878K GINGIVAL CURETTAGE
- 298-012
- 298-014
- 298-016
- 298-018
- 298-021
- 298-012S
- 298-014S
- 298-016S
- 298-018S
- 298-019S
- 298-023S

299 - 879K GINGIVAL CURETTAGE
- 299-012
- 299-014
- 299-016
- 299-018
- 299-012S
- 299-016S
- 299-019S
- 299-020S

304 - 825 LENTICULAR
- 304-016

465 - 392 INTERDENTAL
- 465-016
- 465-018

496 - 888 POINTED FLAME
- 496-012
- 496-014
- 496-012S

508C GUIDE PIN
- 508C-018
- 508C-021

508T GUIDE PIN
- 508T-021
- 508T-026

511 - RC5 GROSS REDUCTION CYLINDER
- 511-016

512 - RC7 GROSS REDUCTION CYLINDER
- 512-017

513 - RC8 GROSS REDUCTION CYLINDER
- 513-017S

514 - RC9 GROSS REDUCTION CYLINDER
- 514-018

516 - RT4 GROSS REDUCTION TAPER
- 516-016

517 - RT6 GROSS REDUCTION TAPER
- 517-018S

519 - RT8 GROSS REDUCTION TAPER
- 519-018S

521 - RT9 GROSS REDUCTION TAPER
- 521-019S

536 - 883S FLAME NEEDLE short head
- 536-010S

539 - 883 FLAME NEEDLE short head
- 539-007
- 539-009
- 539-010

540 - 889 FLAME NEEDLE short head
- 540-008
- 540-010

544 - 845KR ROUND EDGE TAPER
- 544-016
- 544-019S
- 544-021S
- 544-026S

545 - 846KR ROUND EDGE TAPER
- 545-016
- 545-017SH

546 - 847KR ROUND EDGE TAPER
- 546-016
- 546-017S
- 546-020S

552 - 834 DEPTH MARKER
- 552-016
- 552-021

FG Shank Diameter 1.60mm Standard ISO 314, Short 313, Long 315

199 - 850 ROUND END TAPER

199-010
199-012
199-014
199-016
199-018
199-016SH
199-010S
199-012S
199-014S
199-015S
199-016S
199-017S
199-019S

200 - 850L ROUND END TAPER

200-016
200-022
200-024

225 - 807 INVERTED CONE

225-013
225-015
225-016
225-018

226 - 807L INVERTED CONE

226-018

233 - 830 PEAR

233-012
233-016

234 - 830L PEAR

234-012
234-014

234 - 830L PEAR

234-016
234-018

237 - 830R PEAR

237-009
237-010
237-012
237-018
237-021
237-032
237-009S
237-012S

238 - 830RL PEAR

238-012
238-014

247 - 860 FLAME

247-010
247-012
247-014
247-016

248 - 861 FLAME

248-012
248-014
248-014SH

249 - 862 FLAME

249-009
249-010
249-012
249-014
249-015
249-016

249 - 862 FLAME

249-018
249-014SH
249-010S
249-012S
249-014S
249-016S

250 - 863 FLAME

250-010
250-012
250-014
250-016
250-018
250-012S

257 - 368 BUD

257-016
257-018
257-020
257-023
257-025
257-028
257-032
257-020S
257-023LP

263- 369 BUD SLENDER

263-025

277 - 379 EGG

277-012
277-014
277-016
277-018
277-021
277-023
277-025

NEODIAMOND MICROCOPY INNOVATIONS FOR DENTISTRY UF XF F M C XC

FG Shank Diameter 1.60mm Standard ISO 314, Short 313, Long 315

001 - 801 ROUND

001-009
001-010
001-012
001-014
001-016
001-017
001-018
001-020
001-021
001-023
001-025
001-029
001-033
001-010S
001-014S
001-018S
001-024S
001-014LP
001-017LP
001-021LP

697 - 801L ROUND

697-012
697-014
697-016
697-017
697-021
697-023
697-039

002 - 802 ROUND with collar

002-010
002-012
002-014
002-017
002-018

002 - 802 ROUND with collar

002-021
002-033
002-014S

010 - 805 INVERTED CONE short head

010-009
010-010
010-012
010-014
010-016
010-019
010-021
010-012S
010-017S

019 - 806 INVERTED CONE with collar

019-009
019-012
019-014
019-017
019-019
019-021
019-012S
019-017S

032 - 813 DIABLO

032-012
032-014
032-016
032-014S

033 - 899 POINTED BUD

033-027

038 - 811S BARREL

038-033

039 - 811 BARREL

039-033
039-037

041 - 815 WHEEL

041-017
041-027
041-038
041-050

055 - 824 WHEEL with shoulder

055-042

067 - 909 WHEEL

067-036
067-035S
067-040S
067-042S

068 - 909 WHEEL

068-055
068-042

108- 835 FLAT END CYLINDER

108-009
108-010
108-011
108-009S

109 - 835 FLAT END CYLINDER

109-008
109-010
109-011
109-012
109-014
109-016
109-018

FG Shank Diameter 1.60mm Standard ISO 314, Short 313, Long 315

109 - 835 FLAT END CYLINDER

109-010S	
109-011S	
109-012S	

110 - 836 FLAT END CYLINDER

110-010	
110-012	
110-014	
110-016	
110-012S	
110-015S	
110-017S	

111 - 837 FLAT END CYLINDER

111-010	
111-012	
111-014	
111-016	
111-018	
111-019	
111-016S	

112 - 837L FLAT END CYLINDER

112-014	

129 - 884 BEVELED CYLINDER

129-012	

130 - 885 BEVELED CYLINDER

130-010	
130-012	
130-014	
130-016	
130-012S	

131 - 886 BEVELED CYLINDER

131-010	
131-012	
131-014	
131-016	
131-012S	

138 - 838 ROUND END CYLINDER

138-010	

139 - 838 ROUND END CYLINDER

139-009	
139-010	
139-012	
139-014	

140 - 880 ROUND END CYLINDER

140-012	
140-014	
140-010S	
140-012S	
140-014S	

141 - 881 ROUND END CYLINDER

141-010	
141-012	
141-014	
141-016	
141-018	
141-014S	
141-016S	

142 - 882 ROUND END CYLINDER

142-012	
142-014	

146 - 883 KS CYLINDER

146-012S	
146-014S	

150 - 839 END CUTTING CYLINDER

150-012S	
150-014S	
150-016S	

156 - 835KR ROUND EDGE CYLINDER

156-010	
156-012	

157 - 836KR ROUND EDGE CYLINDER

157-010	
157-012	
157-014	

158 - 837KR ROUND EDGE

158-012	
158-014	
158-016	
158-014S	
158-016S	

161 - 851 POINTED CONE

161-038	

164 - 852 POINTED CONE

164-010	
164-012	
164-014	
164-014S	

165 - 858 POINTED CONE

165-010	

NEODIAMOND MICROCOPY INNOVATIONS FOR DENTISTRY UF XF F M C XC

FG Shank Diameter 1.60mm Standard ISO 314, Short 313, Long 315

165 - 858 POINTED CONE

165-012	
165-014	
165-016	
165-014S	

166 - 859 POINTED CONE

166-010	
166-012	
166-014	
166-016	
166-017	
166-018	
166-019	
166-014S	
166-016S	
166-024S	

167 - 859L POINTED CONE

167-010	
167-012	
167-018	

169 - 845 FLAT END TAPER

169-010	

170 - 845 FLAT END TAPER

170-012	
170-014	
170-016	

171 - 846 FLAT END TAPER

171-012	
171-014	
171-016	
171-018	

172 - 847 FLAT END TAPER

172-010	
172-012	
172-014	
172-016	
172-018	
172-023	
172-013S	
172-015S	
172-018S	
172-019S	

173 - 848 FLAT END TAPER

173-010	
173-012	
173-014	
173-016	
173-017	
173-018	
173-019	
173-016SH	
173-016S	
173-018S	
173-021S	

174 - 848L FLAT END TAPER

174-013	
174-020	
174-022	

196 - 849 ROUND END TAPER

196-009	
196-010	
196-015	
196-016	
196-020	
196-026	

197 - 855 ROUND END TAPER

197-012	
197-014	
197-016	
197-023	
197-025	
197-016SH	
197-018SH	
197-012S	
197-017S	
197-018S	
197-024S	

198 - 856 ROUND END TAPER

198-010	
198-012	
198-014	
198-015	
198-016	
198-017	
198-018	
198-019	
198-021	
198-022	
198-025	
198-014S	
198-016S	
198-019S	
198-023S	

198L - 856L ROUND END TAPER

198L-014	
198L-016	
198L-018	
198L-020	